

PORTOFINO 53

STYLE: SPORTS CRUISER


ACCOMMODATION: UP TO 6 GUESTS

PERFORMANCE: UP TO 35 KNOTS


THE BROADER BEAM AND COCKPIT EMPHASIS MARKS THE PORTOFINO SERIES AS ITS OWN CLASS OF SUNSEEKER, AND THE PORTOFINO 53 PRESENTS THE CONCEPT WELL. IN KEEPING WITH THE CURRENT CONCERN TO PROVIDE SHADE AS WELL AS SUNPADS, THE COCKPIT HAS A SLIDING HARD TOP FOR DUALITY, PROVIDING PRACTICAL PROTECTION FROM THE SUN WHEN YOU WANT IT, AND FROM INCLEMENT WEATHER ALSO. A COMPANIONWAY BY THE HELM STATION ACCESSES THE LOWER DECK ACCOMMODATION ARRIVING IN THE CENTRAL SALOON WITH GALLEY AND HEADS, AND TWO GUEST CABINS AFT, ONE TWIN, ONE WITH PULLMAN BERTHS, AND A MASTER STATEROOM TOWARD THE BOW. A HEADY MIX OF COMFORT AND FUN WHATEVER THE MOOD.




Profile – open version




Profile – optional hard top version



Main deck



Lower deck



PRINCIPAL CHARACTERISTICS

Length overall – (incl. pulpit, anchor and platform)	17.35m	56'11"
Length hull – (incl. platform)	16.32m	53'7"
Length waterline – (@ half load)	12.94m	42'5"
Beam – (maximum)	4.60m	15'1"
Height above waterline – (excl. mast)	4.40m	14'5"
Draft – (maximum @ full load)	1.23m	4'0"
Displacement – (@ half load)	19300kg	63320lb
Fuel capacity	1840 litres	405 GB gal. 486 US gal.
Fresh-water capacity	400 litres	88 GB gal. 106 US gal.
Propulsion	Twin FP props in tunnels	

Engine options	up to 1430 PS (total)
Fuel options	Diesel
Generators	Standard 4kW @ 50Hz (Euro) 10kW @ 60Hz (US) Upgrade 9kW @ 50Hz (Euro)
Maximum speed	up to 35 knots*
Cruising speed	up to 25 knots*
Range	up to 300 nautical miles*

All principal characteristics and specifications are provisional.



PORTOFINO 53

PRINCIPAL FEATURES

Garage to house tender
 Electric anchor winch with deck and cockpit controls
 Hot and cold swimming shower
 Full wetbar with hot and cold water
 Top loading ice chest
 Cockpit table
 Camper/suntop and tonneau cover
 Electronic speedlog
 Depth sounder
 VHF radio
 Flatscreen televisions in each cabin
 DVD player in saloon
 Radio/CD player
 Electric refrigerator
 Electric hob and microwave
 Hot and cold water system
 Automatic fire extinguishers
 Automatic bilge pump
 Radar
 Autopilot
 Generator
 Teak bathing platform and step
 AC shorepower/battery charger
 Antifouling

All items included in standard specification.

US specification includes:
 Air-conditioning
 Upgraded generator
 US Coast Guard build regulations
 US specification appliances

STANDARD SPECIFICATIONS

1 Construction

Hand-laid GRP
 Gel coat including stripes
 Vinylester skin coat with powderbound mat
 Stitched multi-axial reinforced single skin bottom
 Balsa cored hull topsides
 PVC foam cored deck and superstructure
 Hull stiffened with longitudinal stringers supported by transverse bulkheads and floors

2 Deck

Fittings all in stainless steel
 Pulpit and cockpit rails
 Stainless steel fendering with rubber insert
 8 x stainless steel cleats
 Curved stainless steel framed safety glass windscreen
 Stainless steel bow roller with anchor stop
 Stainless steel bow plate
 Delta anchor and 45m chain (galvanised)
 Electric winch and capstan with deck and cockpit controls 24v
 IMCO navigation lights
 Ensign staff and socket
 Fender tie bar under anchor locker lid

3 Bathing platform

Teak-laid bathing platform and steps
 Hot and cold swimming shower
 Fresh-water marina connection
 Dockside AC shore power connection
 Stainless steel swimming ladder

4 Cockpit

Self draining
 Safety door
 Full wetbar with hot and cold water
 Top loading ice chest
 Deeply upholstered seating for up to 8 around cockpit table
 Foldaway cockpit table
 Lockers beneath seating
 Aft sunbather
 Garage with hydraulic opening door to house optional tender
 Glass holders
 Overhead cockpit lights 24v
 6 x low-level cockpit lights, 24v
 Waterproof carpet

5 Helm console

Folding helm seat
 Chart area
 Contoured console with burr type walnut fascia
 Single lever engine controls
 Radar
 Autopilot system
 Hydraulic steering
 Wood rimmed steering wheel
 Full analogue engine instrumentation
 Electronic speedlog
 Depth sounder
 Fresh-water gauge
 Fuel gauge
 Steering indicator
 VHF radio
 Compass
 Horn
 Trim tab controls
 Waterproof plug and socket 12v
 2 x windscreen wipers and washers
 Fire extinguisher
 Glass holders

6 Main cabin/saloon

Large dinette
 Flatscreen television
 DVD player
 Radio/CD with speakers in cabin and cockpit
 Stowage beneath seats
 Drinks cupboard
 Halogen overhead lights 24v
 Opening portholes with mosquito screens
 Deck hatch
 Main switch and circuit breaker panel (AC/DC)
 Double AC socket
 Choice of lacquered interior finishes and veneers
 Scatter cushions
 Fitted carpet

7 Galley

Electric refrigerator 24v
 Electric hob and microwave
 Double AC socket
 6 place crockery set
 6 place cutlery set
 Cupboards and drawers
 Opening porthole with mosquito screen and curtain
 Hand-held fire extinguisher
 First aid kit
 Rubbish bin

1. Forward cabin
2. Fun on the aft bathing platform
3. The Portofino 53
4. Main saloon
5. Drive station and sliding hard top
6. Galley
7. The Portofino 53
8. The aft sun deck



8 Master stateroom

Double berth
Storage and drawers beneath
Hanging wardrobe with mirrored door
Overhead storage lockers
Flatscreen television
Halogen overhead lighting
2 x reading lights
2 x opening portholes with mosquito screen and curtains
Deck hatch with mosquito screen
Double AC socket
Door to toilet/shower room
Fitted carpet

9 Master en suite shower room and toilet

Vacuum toilet
Washbasin with taps and accessories
Separate shower compartment
Acrylic shower door
Shaver socket 240/110v
Mirrored cupboard
Towel rails
Halogen overhead lights
Opening porthole with curtain

10 Port aft cabin

2 x single berths with storage beneath
Bedside table with drawer
Hanging wardrobe
Flatscreen television
Halogen overhead lights
2 x reading lights
Opening porthole with mosquito screen
Single AC socket
Door to en suite shower room
Fitted carpet

11 En suite and day head

Vacuum toilet
Washbasin with taps and accessories
Separate shower compartment
Acrylic shower door
Shaver socket 240/110v
Mirrored cupboard
Towel rails
Halogen overhead lights
Opening porthole with curtain

12 Starboard aft cabin

2 x Pullman type berths with storage locker beneath
Hanging wardrobe
Flatscreen television
Halogen overhead lights
2 x reading lights
Opening porthole with mosquito screen
Single AC socket
Fitted carpet

13 Engine compartment and ancillaries

Twin engines with direct drive gearbox
Sound insulation throughout engine room
2 x aluminium fuel tanks with electric senders
Automatic fire extinguishers
2 x automatic bilge pumps
Separate fuel filters/water separators
Extractor fans
Aluminium fresh-water tank with electric sender
12v fresh-water pressure system
Hot water tank

14 Electrical system

Slow speed generator with underwater silent exhaust
AC dockside connection
Galvanic isolator
24v DC electrical system with full circuit breaker protection
4 x engine batteries 24v circuit
2 x domestic batteries 12/24v circuit
1 x generator batteries 12v circuit
Alternator split charging system
Battery switches controlled from locker in cockpit
Battery charger for 24v circuits
Battery charger for 12v circuits
Water heater
AC sockets throughout the boat

15 Underwater gear

Direct shaft drive through half tunnels
4-blade NAB bronze propellers
Bronze P-brackets
2 x 2" stainless steel Temet 25 shafts
Dripless shaft logs with spare seals
High-performance bronze rudders and struts
Seawater strainers – 2 x main engines/
1 x generators
Seacocks on all underwater fittings
Full cathodic bonding system to zinc anodes
Stainless steel hydraulic trim tabs 24v

16 Miscellaneous

2 sets towels
4 x mooring lines
6 x fenders

17 Optional extras

Hydraulic hard top
Air-conditioning
Upgraded generator
Teak cockpit
Bow thruster
Large portholes

US specification includes:

Air-conditioning
Upgraded generator
US Coast Guard build regulations
US specification appliances



*Every attempt has been made to give accurate information, but performance and range figures are estimates given as a guide only. Dirt or growth on the hull, tuning of the engines, size, make of engines fitted, damage to propellers, the temperature of the air and water, the weight of fuel, water, stores, number of people, propeller pitch, quality of fuel and other matters, can all affect a boat's performance and range. For these and other reasons we can give no performance, range or other guarantees, and neither such guarantees nor anything contained herein constitutes an offer of contract or any representation or agreement, or may otherwise be relied upon. The photographs and artist's impressions in this brochure are of existing models in the Sunseeker range. There may be items shown in these photographs and artist's impressions that are not included in the standard inventory of the models shown. Specifications contained on the web site are samples only and should not be relied upon and may refer to models only intended for sale in a particular territory and not generally. No guarantee is given that any model will be available in any territory; however by contacting us we can advise you of models that are likely to be available in each territory.

Actual specifications will be provided when a sales order or enquiry is placed with us or our approved Sunseeker dealer. Specifications for models sold in different markets may vary and specifications and models may be changed or withdrawn at any time without prior notice. The individual specification for each vessel will be agreed as part of the sale contract between the purchaser and the Sunseeker dealer. Dealers and distributors are independently owned and operated entities, and therefore Sunseeker dealers and distributors are not owned by Sunseeker International Limited or any subsidiaries or other related entity of this company nor are they their agents. Therefore they have absolutely no authority to commit Sunseeker International Limited, or any subsidiary or other related entities of Sunseeker International Limited to any pledge, contract or agreement in any form or by any means unless first accepted in writing by Sunseeker International Limited. In some examples herein Sunseeker have referred to measurements, specifications or other details applicable to a particular territory and no guarantee is given that these are applicable to your territory. For ease of reference we have, in some cases, referred to "we" or "Sunseeker" and these terms should be taken to mean Sunseeker International Limited.



Krüger Werft AG
Ländlistrasse 28
CH-8274 Gottlieben
Tel. +41(0)71 6691269
info@krueger-werft.ch

Awards

Sunseeker's success over the years is clearly underlined by the following list of national and international awards and achievements.

2008	UK Motor Boat of the Year Awards 2008	Manhattan 60	2001	Best Power Interior Award	105 Yacht, The Superyacht Society
2007	European Powerboat of the Year	Superhawk 43	2001	President's Award	Southern California Marine Association
2007	Asia Pacific Boating Awards	90 Yacht, Best of the Best	2000	Queen's Award for Enterprise	Continuous innovation and development
2007	Modern Boating Magazine 2007	Portofino 47, Imported Powerboat of the Year	2000	The Times Exporter of the Year	Times Export Awards
2007	Australian Marine Industries Federation Awards	Predator 62, Imported Powerboat of the Year	2000	Robb Report Award	Best of the Best, Boating and Sailing
2007	Nominated by The Superyacht Society	37 Metre Yacht 'The Snapper'	1999	Robb Report Award	Best of the Best, Boating and Sailing
2007	Queen's Award for Enterprise	International Trade	1999	Motorboat of the Year	Predator 75, BT British Nautical Awards
2006	Nominated for three Superyacht Awards	Predator 108 'SHIVER'	1998	Superyacht Design Award	Manhattan 74, Superyacht Design Awards
2005	Australian Marine Industries Federation Awards	75 Yacht, Non-Trailable Boat Award	1998	Editor in Chief Awards	Yachts Magazine
2005	Australian Marine Industries Federation Awards	Portofino 46, Commendation	1997	Lifetime Achievement Award	Robert Braithwaite MBE, RYA Awards
2005	Modern Boating, Power Boat of the Year Awards	Predator 68, Imported Powerboat of the Year	1996	Motorcruiser of the Year Award	RYA British Nautical Awards
2005	Boats.com Marine Industry Web Awards	Manufacturers Category for www.sunseeker.com	1996	Exporter of the Year Award	DCCI Export Awards
2004	Sydney Boat Show 2004	Best Overall Display	1995	Boat Builder of the Year Award	RYA/BMIF British Nautical Awards
2004	Sydney Boat Show 2004	Best Marina Display	1994	Queen's Award for Export Achievement	Queen's Awards for Industry
2003	Australian Marine Awards	Manhattan 56, Award for Excellence	1992	Best in the World Award	Renegade 60, Boating Magazine
2003	Australian Marine Awards	Predator 68, Best Imported Non-Trailable Yacht	1990	Exporter of the Year	SW International Business Awards
2002	Entrepreneur of the Year Award	Robert Braithwaite MBE	1989	Queen's Award for Export Achievement	Queen's Awards for Industry
2001	Best Power Design Award	105 Yacht, The Superyacht Society	1987	Queen's Award for Export Achievement	Queen's Awards for Industry

*Every attempt has been made to give accurate information, but performance and range figures are estimates given as a guide only. Dirt or growth on the hull, tuning of the engines, size, make of engines fitted, damage to propellers, the temperature of the air and water, the weight of fuel, water, stores, number of people, propeller pitch, quality of fuel and other matters, can all affect a boat's performance and range. For these and other reasons we can give no performance, range or other guarantees, and neither such guarantees nor anything contained herein constitutes an offer of contract or any representation or agreement, or may otherwise be relied upon. The photographs and artist's impressions in this brochure are of existing models in the Sunseeker range. There may be items shown in these photographs and artist's impressions that are not included in the standard inventory of the models shown. Specifications contained on the web site are samples only and should not be relied upon and may refer to models only intended for sale in a particular territory and not generally. No guarantee is given that any model will be available in any territory; however by contacting us we can advise you of models that are likely to be available in each territory. Actual specifications will be provided when a sales order or enquiry is placed with us or our approved Sunseeker dealer. Specifications for models sold in different markets may vary and specifications and models may be changed or withdrawn at any time without prior notice. The individual specification for each vessel will be agreed as part of the sale contract between the purchaser and the Sunseeker dealer. Dealers and distributors are independently owned and operated entities, and therefore Sunseeker dealers and distributors are not owned by Sunseeker International Limited or any subsidiaries or other related entity of this company nor are they their agents. Therefore they have absolutely no authority to commit Sunseeker International Limited, or any subsidiary or other related entities of Sunseeker International Limited to any pledge, contract or agreement in any form or by any means unless first accepted in writing by Sunseeker International Limited. In some examples herein Sunseeker have referred to measurements, specifications or other details applicable to a particular territory and no guarantee is given that these are applicable to your territory. For ease of reference we have, in some cases, referred to "we" or "Sunseeker" and these terms should be taken to mean Sunseeker International Limited.

Designed, written and produced by Marketing Matters Limited. Printed in England. August 2008. ©Sunseeker International.

Naval architects
Don Shead/Sunseeker Design

Exterior styling
Sunseeker Design

Interior design
Sunseeker Design

Builder
Sunseeker International



Sunseeker International Limited has
CE Approval which is compulsory
for all boats with a LOA of 24m and
below when sold in the EU.