


PREDATOR 52

STYLE: PERFORMANCE MOTORYACHT


ACCOMMODATION: UP TO 6 GUESTS AND 1 CREW MEMBER

PERFORMANCE: UP TO 32 KNOTS


DOWN IN SIZE BUT HIGH IN STYLE AND GLAMOUR, THE PREDATOR 52 PACKS A GREAT DEAL OF PLEASURE AND PANACHE. THE STYLING STAYS SLEEK, HIDING THE INTERIOR HELM STATION WITH WRAP-AROUND CONSOLE, HIGH PERFORMANCE CONTROLS AND MONITORING, A GENEROUS LINKED DECK SALOON AND AFT COCKPIT, AND ON THE LOWER DECK A GALLEY WELL EQUIPPED FOR THE COMPLEMENT OF SIX. ON DECK THE COOLING OPTIONS SPAN TAKING THE BREEZE AND UVS UNDER WAY ON THE SUNPADS OR EVADING THE RAYS IN THE SHADE. AT REST IT'S TIME TO TAKE TO THE AUTO-SUBMERGING BATHING PLATFORM, BEHIND WHICH THERE'S A CHOICE OF GARAGE OR SINGLE-CREW CABIN.



Deck



Main deck



Lower deck

PRINCIPAL CHARACTERISTICS

Length overall – (incl. pulpit & platform)	17.60m	57'9"
Length hull – (incl. platform)	17.02m	55'10"
Length waterline – (@ half load)	13.11m	43'0"
Beam – (maximum)	4.63m	15'2"
Height above waterline – (excl. radar mast)	4.52m	14'10"
Draft – (@ full load incl. props)	1.26 m	4'2"
Displacement – (@ half load)	24800kg	54560lb
Fuel capacity	2140 litres	471 GB gal. 565 US gal.
Fresh-water capacity	625 litres	137 GB gal. 165 US gal.
Propulsion	Twin prop	
Engine options	up to 1600 PS (total)	

Fuel options	Diesel
Generators	Standard 9kW @ 50Hz (Euro) 15.5kW @ 60Hz (US) Upgrade 13kW @ 50Hz (Euro)
Maximum speed	up to 32 knots*
Cruising speed	up to 23 knots*
Range	up to 250 nautical miles*

All principal characteristics and specifications are provisional.



PREDATOR 52

PRINCIPAL FEATURES

Electric winch with bow roller and cockpit controls
Hot and cold swimming shower
Sliding cockpit door to aft cockpit
Flatscreen televisions in all cabins
Radio/CD player
Electric refrigerator
Electric freezer
Ceramic hob
Microwave
Radar/chartplotter
Autopilot
Electric speedlog
Depth sounder
VHF radio dual station
Trim tabs
Hydraulic steering
Hot and cold water system
Automatic fire extinguishers
Automatic bilge pumps
Generator
AC shorepower/battery charger
Teak bathing platform and steps
Teak cockpit floor
Fresh-water marina connection
Vacuum toilets with holding tank
Antifouling

US specification includes:
Air-conditioning
Upgraded generator
US Coast Guard build regulations
US specification appliances

STANDARD SPECIFICATIONS

1 Construction

Hand-laid GRP
 Gel coat including stripes
 Vinylester skin coat with powderbound mat
 Stitched multi-axial reinforced single skin bottom
 Balsa cored hull topsides
 PVC foam cored deck and superstructure
 Hull stiffened with longitudinal stringers supported by transverse bulkheads and floors

2 Deck

Opening hard top over upper saloon
 Fittings all in stainless steel
 8 x deck cleats in stainless steel
 Delta anchor and 60m chain (galvanised)
 Electric winch and capstan 24v with deck and cockpit controls 24v
 Stemhead roller and anchor stop
 Self draining chain locker-fender stowage
 Pulpit and cockpit rails in stainless steel
 Stainless steel fendering with rubber insert
 IMCO navigation lights
 2 x Pantograph wipers 24v, windscreen washers
 Ensign staff and socket
 6 x fenders and 4 warps
 Remote spotlight 24v
 Curved safety glass windscreen

3 Bathing platform

Hydraulic fall and rise system
 Fresh-water marina connection
 Dockside AC Shore power connection
 Hot and cold swimming shower
 Teak-laid bathing platform
 Foldaway stainless steel swimming ladder

4 Aft cockpit

Self draining
 Upholstered seating and sunbather
 Stowage underneath sunbather
 Wetbar with coolbox
 Transom safety doors
 Engine room access hatch
 Overhead lighting 24v
 Teak-laid cockpit and steps
 Cockpit speakers
 Boat hook
 Hand-held fire extinguisher

5 Saloon

Dining area with folding dining table
 Scatter cushions
 Saloon loose chair
 Stainless steel sliding cockpit door to aft cockpit
 Drinks cabinet
 Flatscreen television on fall and rise system
 Radio/CD/DVD surround system
 Halogen overhead lighting 24v
 Step lights 24v
 Double AC socket
 Choice of lacquered interior finishes and veneer
 Fitted carpet

6 Galley

Sink and drainer
 Electric refrigerator
 Electric freezer
 Ceramic 3-ring hob
 Hob extractor fan
 Microwave oven
 Rubbish bin
 6 place crockery set
 6 place cutlery set
 Cupboard and drawer storage
 Double AC socket
 Hand-held fire extinguisher
 First aid kit

7 Main helm console

Upholstered helm seat
 Console with burr walnut type fascia
 Hydraulic steering
 Sports steering wheel
 Radar/chartplotter
 Autopilot
 VHF radio dual station
 Full analogue engine instrumentation
 Electric speedlog
 Depth sounder
 Rudder indicator
 Compass
 Horn
 Windscreen wipers and washers
 Trim tab controls
 12v socket
 Glass holders
 Hand-held fire extinguisher

8 Master aft cabin

Double berth with storage and drawers beneath
 2 x reading lights 24v
 Outboard shelving
 Bedside cupboards
 Hanging wardrobe with mirrored door
 Halogen overhead lighting 24v
 2 x opening and 4 x large fixed portholes
 Double AC socket
 Flatscreen television
 Fitted carpet

9 Master en suite shower room and toilet

Vacuum toilet
 Avonite counter top
 Shower taps and accessories
 Washbasin
 Separate shower compartment
 Extractor fan
 Razor socket 240/110v
 Mirrored cupboard
 Towel rail
 Bath and hand towels
 Halogen overhead lights
 Opening porthole with Venetian blind
 Door to stateroom

1. The Predator 52
2. Hydraulic bathing platform
3. The Predator 52
4. Owner's Stateroom
5. Galley
6. Twin guest cabin
7. Main saloon
8. The Predator 52



10 Starboard guest Pullman cabin

2 x single Pullman type fixed berths
Under-berth stowage
Hanging wardrobe
Halogen overhead lights
Opening porthole with mosquito screen and curtain
Double AC socket
Flatscreen television
Fitted carpet

11 Forward VIP guest cabin

Double berth with storage and drawers beneath
2 x reading lights 24v
Outboard shelving
Hanging wardrobe with mirrored door
Halogen overhead lighting 24v
Opening portholes and curtains
Deck hatch
Double AC socket
Flatscreen television
Fitted carpet

12 Starboard VIP shower and toilet/day head

Vacuum toilet
Avonite counter top
Shower taps and accessories
Washbasin
Separate shower compartment
Extractor fan
Razor socket 240/110v
Mirrored cupboard
Towel rail
Bath and hand towels
Halogen overhead lights
Opening porthole with Venetian blind

13 Engine compartment and ancillaries

Twin engines with direct drive gearboxes
2 x separate fuel filters water separators
Aluminium fuel tanks with electric sender units
Fresh-water engine top-up hose
Sound insulation throughout engine room
Automatic fire extinguisher
2 x automatic bilge pumps
1 x automatic flood pump
Bilge water high level alarm
Extractor fans 24v
Manual bilge pump

14 Electrical system

Generator with underwater silent exhaust
AC dockside connection
Main DC and AC electrical circuits protected
by re-settable circuit breakers
Systems monitoring panel
Galvanic isolator
6 x batteries for engine starting 24v circuit
4 x batteries for domestic power 24v circuit
2 x batteries for generator starting 12v circuit
Battery coupling system
Battery switches controlled from locker in cockpit
Alternator split charging system
Battery charger for 24v circuits
Battery charger for 12v circuits
Water heater
AC outlet sockets throughout the boat

15 Underwater gear

Direct shaft drive through half tunnels
4-bladed NAB bronze propellers
Bronze P-brackets
2 x stainless steel shafts
Dripless shaft logs
High-performance bronze rudders and struts
Seawater strainers x 2 main engines/
1 x generator
Seacocks on all underwater fittings
Stainless steel trimtabs (hydraulic)
Full cathodic bonding system to zinc anodes

16 Systems

Aluminium fresh-water tank
24v fresh-water pressure system
Hot water tank
24v vacuum toilet system

17 Miscellaneous

Toolkit
Boat hook
4 x mooring ropes
6 x fenders
Spare bulbs and fuses
2 x towel sets

18 Optional extras

Stern crew cabin (with single berth, toilet and washbasin)
Washing machine
Passerelle

US specification includes

Air-conditioning
Upgraded generator
US Coast Guard build regulations
US specification appliances



*Every attempt has been made to give accurate information, but performance and range figures are estimates given as a guide only. Dirt or growth on the hull, tuning of the engines, size, make of engines fitted, damage to propellers, the temperature of the air and water, the weight of fuel, water, stores, number of people, propeller pitch, quality of fuel and other matters, can all affect a boat's performance and range. For these and other reasons we can give no performance, range or other guarantees, and neither such guarantees nor anything contained herein constitutes an offer of contract or any representation or agreement, or may otherwise be relied upon. The photographs and artist's impressions in this brochure are of existing models in the Sunseeker range. There may be items shown in these photographs and artist's impressions that are not included in the standard inventory of the models shown. Specifications contained on the web site are samples only and should not be relied upon and may refer to models only intended for sale in a particular territory and not generally. No guarantee is given that any model will be available in any territory; however by contacting us we can advise you of models that are likely to be available in each territory. Actual specifications will be provided when a sales order or enquiry is placed with us or our approved Sunseeker dealer.

Specifications for models sold in different markets may vary and specifications and models may be changed or withdrawn at any time without prior notice. The individual specification for each vessel will be agreed as part of the sale contract between the purchaser and the Sunseeker dealer. Dealers and distributors are independently owned and operated entities, and therefore Sunseeker dealers and distributors are not owned by Sunseeker International Limited or any subsidiaries or other related entity of this company nor are they their agents. Therefore they have absolutely no authority to commit Sunseeker International Limited, or any subsidiary or other related entities of Sunseeker International Limited to any pledge, contract or agreement in any form or by any means unless first accepted in writing by Sunseeker International Limited. In some examples herein Sunseeker have referred to measurements, specifications or other details applicable to a particular territory and no guarantee is given that these are applicable to your territory. For ease of reference we have, in some cases, referred to "we" or "Sunseeker" and these terms should be taken to mean Sunseeker International Limited.



Krüger Werft AG
Ländlistrasse 28
CH-8274 Gottlieben
Tel. +41(0)71 6691269
info@krueger-werft.ch

Awards

Sunseeker's success over the years is clearly underlined by the following list of national and international awards and achievements.

2008	UK Motor Boat of the Year Awards 2008	Manhattan 60	2001	Best Power Interior Award	105 Yacht, The Superyacht Society
2007	European Powerboat of the Year	Superhawk 43	2001	President's Award	Southern California Marine Association
2007	Asia Pacific Boating Awards	90 Yacht, Best of the Best	2000	Queen's Award for Enterprise	Continuous innovation and development
2007	Modern Boating Magazine 2007	Portofino 47, Imported Powerboat of the Year	2000	The Times Exporter of the Year	Times Export Awards
2007	Australian Marine Industries Federation Awards	Predator 62, Imported Powerboat of the Year	2000	Robb Report Award	Best of the Best, Boating and Sailing
2007	Nominated by The Superyacht Society	37 Metre Yacht 'The Snapper'	1999	Robb Report Award	Best of the Best, Boating and Sailing
2007	Queen's Award for Enterprise	International Trade	1999	Motorboat of the Year	Predator 75, BT British Nautical Awards
2006	Nominated for three Superyacht Awards	Predator 108 'SHIVER'	1998	Superyacht Design Award	Manhattan 74, Superyacht Design Awards
2005	Australian Marine Industries Federation Awards	75 Yacht, Non-Trailable Boat Award	1998	Editor in Chief Awards	Yachts Magazine
2005	Australian Marine Industries Federation Awards	Portofino 46, Commendation	1997	Lifetime Achievement Award	Robert Braithwaite MBE, RYA Awards
2005	Modern Boating, Power Boat of the Year Awards	Predator 68, Imported Powerboat of the Year	1996	Motorcruiser of the Year Award	RYA British Nautical Awards
2005	Boats.com Marine Industry Web Awards	Manufacturers Category for www.sunseeker.com	1996	Exporter of the Year Award	DCCI Export Awards
2004	Sydney Boat Show 2004	Best Overall Display	1995	Boat Builder of the Year Award	RYA/BMIF British Nautical Awards
2004	Sydney Boat Show 2004	Best Marina Display	1994	Queen's Award for Export Achievement	Queen's Awards for Industry
2003	Australian Marine Awards	Manhattan 56, Award for Excellence	1992	Best in the World Award	Renegade 60, Boating Magazine
2003	Australian Marine Awards	Predator 68, Best Imported Non-Trailable Yacht	1990	Exporter of the Year	SW International Business Awards
2002	Entrepreneur of the Year Award	Robert Braithwaite MBE	1989	Queen's Award for Export Achievement	Queen's Awards for Industry
2001	Best Power Design Award	105 Yacht, The Superyacht Society	1987	Queen's Award for Export Achievement	Queen's Awards for Industry

Naval architects

Don Shead/Sunseeker Design

Exterior styling

Sunseeker Design

Interior design

Sunseeker Design

Builder

Sunseeker International

*Every attempt has been made to give accurate information, but performance and range figures are estimates given as a guide only. Dirt or growth on the hull, tuning of the engines, size, make of engines fitted, damage to propellers, the temperature of the air and water, the weight of fuel, water, stores, number of people, propeller pitch, quality of fuel and other matters, can all affect a boat's performance and range. For these and other reasons we can give no performance, range or other guarantees, and neither such guarantees nor anything contained herein constitutes an offer of contract or any representation or agreement, or may otherwise be relied upon. The photographs and artist's impressions in this brochure are of existing models in the Sunseeker range. There may be items shown in these photographs and artist's impressions that are not included in the standard inventory of the models shown. Specifications contained on the web site are samples only and should not be relied upon and may refer to models only intended for sale in a particular territory and not generally. No guarantee is given that any model will be available in any territory; however by contacting us we can advise you of models that are likely to be available in each territory. Actual specifications will be provided when a sales order or enquiry is placed with us or our approved Sunseeker dealer. Specifications for models sold in different markets may vary and specifications and models may be changed or withdrawn at any time without prior notice. The individual specification for each vessel will be agreed as part of the sale contract between the purchaser and the Sunseeker dealer. Dealers and distributors are independently owned and operated entities, and therefore Sunseeker dealers and distributors are not owned by Sunseeker International Limited or any subsidiaries or other related entity of this company nor are they their agents. Therefore they have absolutely no authority to commit Sunseeker International Limited, or any subsidiary or other related entities of Sunseeker International Limited to any pledge, contract or agreement in any form or by any means unless first accepted in writing by Sunseeker International Limited. In some examples herein Sunseeker have referred to measurements, specifications or other details applicable to a particular territory and no guarantee is given that these are applicable to your territory. For ease of reference we have, in some cases, referred to "we" or "Sunseeker" and these terms should be taken to mean Sunseeker International Limited.

Designed, written and produced by Marketing Matters Limited. Printed in England. August 2008. ©Sunseeker International.



Sunseeker International Limited has
CE Approval which is compulsory
for all boats with a LOA of 24m and
below when sold in the EU.